

D52S331

CEE wall socket 32 A + Schuko
32A · 5p · 400V · 6h · red

- Housing material: PA6
- Nominal current: 32 A
- Number of poles: 5 (3P+N+PE)
- Clock position: 6 h
- Rated voltage/frequency: 200/346V~ – 240/415V~ / 50+60Hz
- Contacts: Brass
- Connection system: Screwed terminals
- Cable entry: Top, 2 × bottom or rear with protective contact socket (Austrian/German system) – pre-wired
- Protection degree: IP44
- Earth-connected socket: protected by a 10 A slow-blow fuse



Design may vary

GENERAL

Model	CEE wall socket with Schuko, 32A
Product number	D52S331
EAN number	9003399094972
Commodity code	85366990
Net weight product	0.500 kg
Packaging unit (PU)	5 unit
Coding colour	Red

ELECTRICAL PARAMETERS

CEE socket – 32A	1 × 32A5p400V
Number of poles	5
Clock position	6 h
Number of CEE 7/3 (Type F) earthed sockets	1

OPERATING CONDITIONS

IP rating	IP44
-----------	------

MATERIALS


Housing material	Plastic
Colour	Grey

CONNECTION

Construction	Wall mounting
Contact screws	110 Ncm
Housing screws	110 Ncm
Connecting screws	110 Ncm
Wire flexible	2.5 – 6 mm ²
Wire solid	2.5 – 10 mm ²
Jacket stripping length	50 mm
Insulation stripping length	12 – 14 mm



PRODUCT DIMENSIONS



Height: 141 mm

Subject to change: All performance characteristics, technical and other specifications are subject to change without prior notice.