

S52S30P

CEE-phase inverter plug
32A · 5p · 400V · 6h · red

- Housing material: 2K (PA6/TPE)
- Nominal current: 32 A
- Number of poles: 5 (3P+N+PE)
- Clock position: 6 h
- Rated voltage/frequency: 200/346V~ – 240/415V~/50+60Hz
- Contacts: Brass nickel plated
- Connection system: Screwed terminals
- Protection degree: IP44/IP54/IP54



Design may vary

GENERAL

Model	CEE-phase inverter plug, 32A.
Product number	S52S30P
EAN number	9003399417252
Commodity code	85366990
Net weight product	0.273 kg
Packaging unit (PU)	10 units
Coding colour	Red

ELECTRICAL PARAMETERS

IEC amperage	32 A
Voltage according to EN 60309-2	400 V (50+60 Hz) red
Number of poles	5
Clock position	6 h
Phase inverter	Yes

OPERATING CONDITIONS

Ambient temperature	-25 – 40 °C
Temperature resistance	-25 – 80 °C
IP rating	IP54

MATERIALS


Contact material	CuZn
Surface treatment contacts	Nickel plated
Housing material	Plastic

CONNECTION

Connection system	Screw terminal
Cable entry	Gland nut
Contact screws	110 Ncm
Angle of plug	Straight
Wire flexible	2.5 – 6 mm ²
Cable diameter	11.5 – 22 mm
Jacket stripping length	50 mm
Insulation stripping length	12 – 14 mm
Strain relief	600 Ncm



PRODUCT DIMENSIONS



Subject to change: All performance characteristics, technical and other specifications are subject to change without prior notice.